

## ICD-10 Psych Codes

| Code  | Description  |
|-------|--|
| F0390 | Unspecified dementia without behavioral disturbance          |
| F05   | Delirium due to known physiological condition                |
| F0150 | Vascular dementia without behavioral disturbance             |
| F0151 | Vascular dementia with behavioral disturbance                |
| F062  | Psychotic disorder w delusions due to known physiol cond     |
| F060  | Psychotic disorder w hallucin due to known physiol condition |
| F0630 | Mood disorder due to known physiological condition, unsp     |
| F0631 | Mood disorder due to known physiol cond w depressv features  |
| F0632 | Mood disord d/t physiol cond w major depressive-like epsd    |
| F0633 | Mood disorder due to known physiol cond w manic features     |
| F0634 | Mood disorder due to known physiol cond w mixed features     |
| F064  | Anxiety disorder due to known physiological condition        |
| F061  | Catatonic disorder due to known physiological condition      |
| F53   | Puerperal psychosis  |
| F068  | Oth mental disorders due to known physiological condition    |
| F04   | Amnestic disorder due to known physiological condition       |
| F0280 | Dementia in oth diseases classd elswhr w/o behavrl disturb   |
| F0281 | Dementia in oth diseases classd elswhr w behavioral disturb  |
| F2089 | Other schizophrenia  |
| F201  | Disorganized schizophrenia                                   |
| F202  | Catatonic schizophrenia                                      |
| F200  | Paranoid schizophrenia                                       |
| F2081 | Schizophreniform disorder                                    |
| F205  | Residual schizophrenia                                       |
| F259  | Schizoaffective disorder, unspecified                        |
| F250  | Schizoaffective disorder, bipolar type                       |
| F251  | Schizoaffective disorder, depressive type                    |

## ICD-10 Psych Codes

|              |   |
|--------------|---|
| <b>F258</b>  | <b>Other schizoaffective disorders</b>                              |
| <b>F209</b>  | <b>Schizophrenia, unspecified</b>                                   |
| <b>F203</b>  | <b>Undifferentiated schizophrenia</b>                               |
| <b>F3010</b> | <b>Manic episode without psychotic symptoms, unspecified</b>        |
| <b>F309</b>  | <b>Manic episode, unspecified</b>                                   |
| <b>F3011</b> | <b>Manic episode without psychotic symptoms, mild</b>               |
| <b>F3012</b> | <b>Manic episode without psychotic symptoms, moderate</b>           |
| <b>F3013</b> | <b>Manic episode, severe, without psychotic symptoms</b>            |
| <b>F302</b>  | <b>Manic episode, severe with psychotic symptoms</b>                |
| <b>F303</b>  | <b>Manic episode in partial remission</b>                           |
| <b>F304</b>  | <b>Manic episode in full remission</b>                              |
| <b>F329</b>  | <b>Major depressive disorder, single episode, unspecified</b>       |
| <b>F320</b>  | <b>Major depressive disorder, single episode, mild</b>              |
| <b>F321</b>  | <b>Major depressive disorder, single episode, moderate</b>          |
| <b>F322</b>  | <b>Major depressv disord, single epsd, sev w/o psych features</b>   |
| <b>F323</b>  | <b>Major depressv disord, single epsd, severe w psych features</b>  |
| <b>F324</b>  | <b>Major depressv disorder, single episode, in partial remis</b>    |
| <b>F325</b>  | <b>Major depressive disorder, single episode, in full remission</b> |
| <b>F339</b>  | <b>Major depressive disorder, recurrent, unspecified</b>            |
| <b>F3340</b> | <b>Major depressive disorder, recurrent, in remission, unsp</b>     |
| <b>F330</b>  | <b>Major depressive disorder, recurrent, mild</b>                   |
| <b>F331</b>  | <b>Major depressive disorder, recurrent, moderate</b>               |
| <b>F332</b>  | <b>Major depressv disorder, recurrent severe w/o psych features</b> |
| <b>F333</b>  | <b>Major depressv disorder, recurrent, severe w psych symptoms</b>  |
| <b>F3341</b> | <b>Major depressive disorder, recurrent, in partial remission</b>   |
| <b>F3342</b> | <b>Major depressive disorder, recurrent, in full remission</b>      |
| <b>F3110</b> | <b>Bipolar disord, crnt episode manic w/o psych features, unsp</b>  |
| <b>F310</b>  | <b>Bipolar disorder, current episode hypomanic</b>                  |

## ICD-10 Psych Codes

|              |   |
|--------------|---|
| <b>F3189</b> | <b>Other bipolar disorder</b>                                       |
| <b>F3111</b> | <b>Bipolar disord, crnt episode manic w/o psych features, mild</b>  |
| <b>F3112</b> | <b>Bipolar disord, crnt episode manic w/o psych features, mod</b>   |
| <b>F3113</b> | <b>Bipolar disord, crnt epsd manic w/o psych features, severe</b>   |
| <b>F312</b>  | <b>Bipolar disord, crnt episode manic severe w psych features</b>   |
| <b>F3173</b> | <b>Bipolar disord, in partial remis, most recent episode manic</b>  |
| <b>F3174</b> | <b>Bipolar disorder, in full remis, most recent episode manic</b>   |
| <b>F3130</b> | <b>Bipolar disord, crnt epsd depress, mild or mod severt, unsp</b>  |
| <b>F3131</b> | <b>Bipolar disorder, current episode depressed, mild</b>            |
| <b>F3132</b> | <b>Bipolar disorder, current episode depressed, moderate</b>        |
| <b>F314</b>  | <b>Bipolar disord, crnt epsd depress, sev, w/o psych features</b>   |
| <b>F315</b>  | <b>Bipolar disord, crnt epsd depress, severe, w psych features</b>  |
| <b>F3175</b> | <b>Bipolar disord, in partial remis, most recent epsd depress</b>   |
| <b>F3176</b> | <b>Bipolar disorder, in full remis, most recent episode depress</b> |
| <b>F3160</b> | <b>Bipolar disorder, current episode mixed, unspecified</b>         |
| <b>F3161</b> | <b>Bipolar disorder, current episode mixed, mild</b>                |
| <b>F3162</b> | <b>Bipolar disorder, current episode mixed, moderate</b>            |
| <b>F3163</b> | <b>Bipolar disord, crnt epsd mixed, severe, w/o psych features</b>  |
| <b>F3164</b> | <b>Bipolar disord, crnt episode mixed, severe, w psych features</b> |
| <b>F3177</b> | <b>Bipolar disord, in partial remis, most recent episode mixed</b>  |
| <b>F3178</b> | <b>Bipolar disorder, in full remis, most recent episode mixed</b>   |
| <b>F319</b>  | <b>Bipolar disorder, unspecified</b>                                |
| <b>F3170</b> | <b>Bipolar disord, currently in remis, most recent episode unsp</b> |
| <b>F3171</b> | <b>Bipolar disord, in partial remis, most recent epsd hypomanic</b> |
| <b>F3172</b> | <b>Bipolar disord, in full remis, most recent episode hypomanic</b> |
| <b>F308</b>  | <b>Other manic episodes</b>   |
| <b>F328</b>  | <b>Other depressive episodes</b>                                    |
| <b>F3181</b> | <b>Bipolar II disorder</b>  |

## ICD-10 Psych Codes

|              |   |
|--------------|---|
| <b>F39</b>   | <b>Unspecified mood [affective] disorder</b>                        |
| <b>F348</b>  | <b>Other persistent mood [affective] disorders</b>                  |
| <b>F338</b>  | <b>Other recurrent depressive disorders</b>                         |
| <b>F349</b>  | <b>Persistent mood [affective] disorder, unspecified</b>            |
| <b>F22</b>   | <b>Delusional disorders</b>   |
| <b>F24</b>   | <b>Shared psychotic disorder</b>                                    |
| <b>F23</b>   | <b>Brief psychotic disorder</b>                                     |
| <b>F28</b>   | <b>Oth psych disorder not due to a sub or known physiol cond</b>    |
| <b>F4489</b> | <b>Other dissociative and conversion disorders</b>                  |
| <b>F29</b>   | <b>Unsp psychosis not due to a substance or known physiol cond</b>  |
| <b>F419</b>  | <b>Anxiety disorder, unspecified</b>                                |
| <b>F410</b>  | <b>Panic disorder without agoraphobia</b>                           |
| <b>F411</b>  | <b>Generalized anxiety disorder</b>                                 |
| <b>F418</b>  | <b>Other specified anxiety disorders</b>                            |
| <b>F413</b>  | <b>Other mixed anxiety disorders</b>                                |
| <b>F449</b>  | <b>Dissociative and conversion disorder, unspecified</b>            |
| <b>F444</b>  | <b>Conversion disorder with motor symptom or deficit</b>            |
| <b>F446</b>  | <b>Conversion disorder with sensory symptom or deficit</b>          |
| <b>F445</b>  | <b>Conversion disorder with seizures or convulsions</b>             |
| <b>F447</b>  | <b>Conversion disorder with mixed symptom presentation</b>          |
| <b>F440</b>  | <b>Dissociative amnesia</b>   |
| <b>F441</b>  | <b>Dissociative fugue</b>   |
| <b>F4481</b> | <b>Dissociative identity disorder</b>                               |
| <b>F6811</b> | <b>Factitious disorder w predom psych signs and symptoms</b>        |
| <b>F6813</b> | <b>Factitious disord w comb psych and physcl signs and symptoms</b> |
| <b>F688</b>  | <b>Other specified disorders of adult personality and behavior</b>  |
| <b>F442</b>  | <b>Dissociative stupor</b>  |
| <b>F409</b>  | <b>Phobic anxiety disorder, unspecified</b>                         |

## ICD-10 Psych Codes

|               |  |
|---------------|--|
| <b>F4001</b>  | <b>Agoraphobia with panic disorder</b>               |
| <b>F4002</b>  | <b>Agoraphobia without panic disorder</b>            |
| <b>F4000</b>  | <b>Agoraphobia, unspecified</b>                      |
| <b>F4010</b>  | <b>Social phobia, unspecified</b>                    |
| <b>F4011</b>  | <b>Social phobia, generalized</b>                    |
| <b>F40218</b> | <b>Other animal type phobia</b>                      |
| <b>F40240</b> | <b>Claustrophobia</b>                                |
| <b>F40241</b> | <b>Acrophobia</b>                                    |
| <b>F408</b>   | <b>Other phobic anxiety disorders</b>                |
| <b>F40210</b> | <b>Arachnophobia</b>                                 |
| <b>F40220</b> | <b>Fear of thunderstorms</b>                         |
| <b>F40228</b> | <b>Other natural environment type phobia</b>         |
| <b>F40230</b> | <b>Fear of blood</b>                                 |
| <b>F40231</b> | <b>Fear of injections and transfusions</b>           |
| <b>F40232</b> | <b>Fear of other medical care</b>                    |
| <b>F40233</b> | <b>Fear of injury</b>                                |
| <b>F40242</b> | <b>Fear of bridges</b>                               |
| <b>F40243</b> | <b>Fear of flying</b>                                |
| <b>F40248</b> | <b>Other situational type phobia</b>                 |
| <b>F40290</b> | <b>Androphobia</b>                                   |
| <b>F40291</b> | <b>Gynephobia</b>                                    |
| <b>F40298</b> | <b>Other specified phobia</b>                        |
| <b>F42</b>    | <b>Obsessive-compulsive disorder</b>                 |
| <b>F341</b>   | <b>Dysthymic disorder</b>                            |
| <b>F488</b>   | <b>Other specified nonpsychotic mental disorders</b> |
| <b>F481</b>   | <b>Depersonalization-derealization syndrome</b>      |
| <b>F4521</b>  | <b>Hypochondriasis</b>                               |
| <b>F4522</b>  | <b>Body dysmorphic disorder</b>                      |

## ICD-10 Psych Codes

|              |   |
|--------------|---|
| <b>F4520</b> | <b>Hypochondriacal disorder, unspecified</b>                        |
| <b>F4529</b> | <b>Other hypochondriacal disorders</b>                              |
| <b>F450</b>  | <b>Somatization disorder</b>  |
| <b>F451</b>  | <b>Undifferentiated somatoform disorder</b>                         |
| <b>F459</b>  | <b>Somatoform disorder, unspecified</b>                             |
| <b>F458</b>  | <b>Other somatoform disorders</b>                                   |
| <b>F489</b>  | <b>Nonpsychotic mental disorder, unspecified</b>                    |
| <b>F99</b>   | <b>Mental disorder, not otherwise specified</b>                     |
| <b>R452</b>  | <b>#REF!</b>  |
| <b>R455</b>  | <b>Hostility</b>  |
| <b>R456</b>  | <b>Violent behavior</b>   |
| <b>F600</b>  | <b>Paranoid personality disorder</b>                                |
| <b>F340</b>  | <b>Cyclothymic disorder</b>   |
| <b>F6089</b> | <b>Other specific personality disorders</b>                         |
| <b>F601</b>  | <b>Schizoid personality disorder</b>                                |
| <b>F21</b>   | <b>Schizotypal disorder</b>   |
| <b>F603</b>  | <b>Borderline personality disorder</b>                              |
| <b>F605</b>  | <b>Obsessive-compulsive personality disorder</b>                    |
| <b>F604</b>  | <b>Histrionic personality disorder</b>                              |
| <b>F6812</b> | <b>Factitious disorder w predom physical signs and symptoms</b>     |
| <b>F6810</b> | <b>Factitious disorder, unspecified</b>                             |
| <b>F607</b>  | <b>Dependent personality disorder</b>                               |
| <b>F602</b>  | <b>Antisocial personality disorder</b>                              |
| <b>F6081</b> | <b>Narcissistic personality disorder</b>                            |
| <b>F606</b>  | <b>Avoidant personality disorder</b>                                |
| <b>F609</b>  | <b>Personality disorder, unspecified</b>                            |
| <b>F69</b>   | <b>Unspecified disorder of adult personality and behavior</b>       |
| <b>F525</b>  | <b>Vaginismus not due to a substance or known physiol condition</b> |

## ICD-10 Psych Codes

|              |   |
|--------------|---|
| <b>F59</b>   | <b>Unsp behavrl synd assoc w physiol disturb and physcl factors</b> |
| <b>F985</b>  | <b>Adult onset fluency disorder</b>                                 |
| <b>F5000</b> | <b>Anorexia nervosa, unspecified</b>                                |
| <b>F5001</b> | <b>Anorexia nervosa, restricting type</b>                           |
| <b>F5002</b> | <b>Anorexia nervosa, binge eating/purging type</b>                  |
| <b>F959</b>  | <b>Tic disorder, unspecified</b>                                    |
| <b>F958</b>  | <b>Other tic disorders</b>  |
| <b>F950</b>  | <b>Transient tic disorder</b>                                       |
| <b>F951</b>  | <b>Chronic motor or vocal tic disorder</b>                          |
| <b>F952</b>  | <b>Tourette's disorder</b>  |
| <b>F984</b>  | <b>Stereotyped movement disorders</b>                               |
| <b>F519</b>  | <b>Sleep disorder not due to a sub or known physiol cond, unsp</b>  |
| <b>F5102</b> | <b>Adjustment insomnia</b>  |
| <b>F5109</b> | <b>Oth insomnia not due to a substance or known physiol cond</b>    |
| <b>F5101</b> | <b>Primary insomnia</b>   |
| <b>F5103</b> | <b>Paradoxical insomnia</b>   |
| <b>F5119</b> | <b>Oth hypersomnia not due to a substance or known physiol cond</b> |
| <b>F5111</b> | <b>Primary hypersomnia</b>  |
| <b>F5112</b> | <b>Insufficient sleep syndrome</b>                                  |
| <b>F518</b>  | <b>Oth sleep disord not due to a sub or known physiol cond</b>      |
| <b>F513</b>  | <b>Sleepwalking [somnambulism]</b>                                  |
| <b>F514</b>  | <b>Sleep terrors [night terrors]</b>                                |
| <b>F515</b>  | <b>Nightmare disorder</b>   |
| <b>F509</b>  | <b>Eating disorder, unspecified</b>                                 |
| <b>F502</b>  | <b>Bulimia nervosa</b>  |
| <b>F983</b>  | <b>Pica of infancy and childhood</b>                                |
| <b>F9821</b> | <b>Rumination disorder of infancy</b>                               |
| <b>F508</b>  | <b>Other eating disorders</b>                                       |

## ICD-10 Psych Codes

|               |   |
|---------------|---|
| <b>F9829</b>  | <b>Other feeding disorders of infancy and early childhood</b>       |
| <b>F980</b>   | <b>Enuresis not due to a substance or known physiol condition</b>   |
| <b>F981</b>   | <b>Encopresis not due to a substance or known physiol condition</b> |
| <b>F4541</b>  | <b>Pain disorder exclusively related to psychological factors</b>   |
| <b>G44209</b> | <b>Tension-type headache, unspecified, not intractable</b>          |
| <b>F4542</b>  | <b>Pain disorder with related psychological factors</b>             |
| <b>F633</b>   | <b>Trichotillomania</b>   |
| <b>R451</b>   | <b>Restlessness and agitation</b>                                   |
| <b>R4581</b>  | <b>Low self-esteem</b>  |
| <b>R4582</b>  | <b>Worries</b>  |
| <b>F430</b>   | <b>Acute stress reaction</b>  |
| <b>R457</b>   | <b>State of emotional shock and stress, unspecified</b>             |
| <b>F4321</b>  | <b>Adjustment disorder with depressed mood</b>                      |
| <b>F930</b>   | <b>Separation anxiety disorder of childhood</b>                     |
| <b>F948</b>   | <b>Other childhood disorders of social functioning</b>              |
| <b>F4322</b>  | <b>Adjustment disorder with anxiety</b>                             |
| <b>F4323</b>  | <b>Adjustment disorder with mixed anxiety and depressed mood</b>    |
| <b>F4329</b>  | <b>Adjustment disorder with other symptoms</b>                      |
| <b>F4324</b>  | <b>Adjustment disorder with disturbance of conduct</b>              |
| <b>F4325</b>  | <b>Adjustment disorder w mixed disturb of emotions and conduct</b>  |
| <b>F4310</b>  | <b>Post-traumatic stress disorder, unspecified</b>                  |
| <b>F4312</b>  | <b>Post-traumatic stress disorder, chronic</b>                      |
| <b>F4311</b>  | <b>Post-traumatic stress disorder, acute</b>                        |
| <b>F438</b>   | <b>Other reactions to severe stress</b>                             |
| <b>F4320</b>  | <b>Adjustment disorder, unspecified</b>                             |
| <b>F439</b>   | <b>Reaction to severe stress, unspecified</b>                       |
| <b>F070</b>   | <b>Personality change due to known physiological condition</b>      |
| <b>F0781</b>  | <b>Postconcussional syndrome</b>                                    |



## ICD-10 Psych Codes

|              |  |
|--------------|--|
| <b>F09</b>   | <b>Unsp mental disorder due to known physiological condition</b>       |
| <b>F079</b>  | <b>Unsp personality &amp; behavrl disord due to known physiol cond</b> |
| <b>F911</b>  | <b>Conduct disorder, childhood-onset type</b>                          |
| <b>F918</b>  | <b>Other conduct disorders</b>   |
| <b>F912</b>  | <b>Conduct disorder, adolescent-onset type</b>                         |
| <b>F639</b>  | <b>Impulse disorder, unspecified</b>                                   |
| <b>F630</b>  | <b>Pathological gambling</b>   |
| <b>F632</b>  | <b>Kleptomania</b>   |
| <b>F631</b>  | <b>Pyromania</b>   |
| <b>F6381</b> | <b>Intermittent explosive disorder</b>                                 |
| <b>F6389</b> | <b>Other impulse disorders</b>   |
| <b>F910</b>  | <b>Conduct disorder confined to family context</b>                     |
| <b>F919</b>  | <b>Conduct disorder, unspecified</b>                                   |
| <b>F938</b>  | <b>Other childhood emotional disorders</b>                             |
| <b>F940</b>  | <b>Selective mutism</b>  |
| <b>F913</b>  | <b>Oppositional defiant disorder</b>                                   |
| <b>F941</b>  | <b>Reactive attachment disorder of childhood</b>                       |
| <b>F988</b>  | <b>Oth behav/emotn disord w onset usly occur in chldhd and adol</b>    |
| <b>F942</b>  | <b>Disinhibited attachment disorder of childhood</b>                   |
| <b>F949</b>  | <b>Childhood disorder of social functioning, unspecified</b>           |
| <b>F939</b>  | <b>Childhood emotional disorder, unspecified</b>                       |
| <b>F989</b>  | <b>Unsp behav/emotn disord w onst usly occur in chldhd and adol</b>    |
| <b>F909</b>  | <b>Attention-deficit hyperactivity disorder, unspecified type</b>      |
| <b>F900</b>  | <b>Attn-defct hyperactivity disorder, predom inattentive type</b>      |
| <b>F901</b>  | <b>Attn-defct hyperactivity disorder, predom hyperactive type</b>      |
| <b>F902</b>  | <b>Attention-deficit hyperactivity disorder, combined type</b>         |
| <b>F908</b>  | <b>Attention-deficit hyperactivity disorder, other type</b>            |
| <b>F801</b>  | <b>Expressive language disorder</b>                                    |

## ICD-10 Psych Codes

|               |   |
|---------------|---|
| <b>F82</b>    | <b>Specific developmental disorder of motor function</b>            |
| <b>F88</b>    | <b>Other disorders of psychological development</b>                 |
| <b>F819</b>   | <b>Developmental disorder of scholastic skills, unspecified</b>     |
| <b>F89</b>    | <b>Unspecified disorder of psychological development</b>            |
| <b>F10231</b> | <b>Alcohol dependence with withdrawal delirium</b>                  |
| <b>F10121</b> | <b>Alcohol abuse with intoxication delirium</b>                     |
| <b>F10221</b> | <b>Alcohol dependence with intoxication delirium</b>                |
| <b>F10921</b> | <b>Alcohol use, unspecified with intoxication delirium</b>          |
| <b>F1096</b>  | <b>Alcohol use, unsp w alcoh-induce persist amnestic disorder</b>   |
| <b>F1026</b>  | <b>Alcohol depend w alcoh-induce persisting amnestic disorder</b>   |
| <b>F1097</b>  | <b>Alcohol use, unsp with alcohol-induced persisting dementia</b>   |
| <b>F1027</b>  | <b>Alcohol dependence with alcohol-induced persisting dementia</b>  |
| <b>F10951</b> | <b>Alcohol use, unsp w alcoh-induce psych disorder w hallucin</b>   |
| <b>F10151</b> | <b>Alcohol abuse w alcoh-induce psychotic disorder w hallucin</b>   |
| <b>F10251</b> | <b>Alcohol depend w alcoh-induce psychotic disorder w hallucin</b>  |
| <b>F10929</b> | <b>Alcohol use, unspecified with intoxication, unspecified</b>      |
| <b>F10920</b> | <b>Alcohol use, unspecified with intoxication, uncomplicated</b>    |
| <b>F10950</b> | <b>Alcohol use, unsp w alcoh-induce psych disorder w delusions</b>  |
| <b>F10150</b> | <b>Alcohol abuse w alcoh-induce psychotic disorder w delusions</b>  |
| <b>F10250</b> | <b>Alcohol depend w alcoh-induce psychotic disorder w delusions</b> |
| <b>F10239</b> | <b>Alcohol dependence with withdrawal, unspecified</b>              |
| <b>F10230</b> | <b>Alcohol dependence with withdrawal, uncomplicated</b>            |
| <b>F10232</b> | <b>Alcohol dependence w withdrawal with perceptual disturbance</b>  |
| <b>F10182</b> | <b>Alcohol abuse with alcohol-induced sleep disorder</b>            |
| <b>F10282</b> | <b>Alcohol dependence with alcohol-induced sleep disorder</b>       |
| <b>F10982</b> | <b>Alcohol use, unspecified with alcohol-induced sleep disorder</b> |
| <b>F10159</b> | <b>Alcohol abuse with alcohol-induced psychotic disorder, unsp</b>  |
| <b>F10180</b> | <b>Alcohol abuse with alcohol-induced anxiety disorder</b>          |

## ICD-10 Psych Codes

|               |   |
|---------------|---|
| <b>F10181</b> | <b>Alcohol abuse with alcohol-induced sexual dysfunction</b>        |
| <b>F10188</b> | <b>Alcohol abuse with other alcohol-induced disorder</b>            |
| <b>F10259</b> | <b>Alcohol dependence w alcoh-induce psychotic disorder, unsp</b>   |
| <b>F10280</b> | <b>Alcohol dependence with alcohol-induced anxiety disorder</b>     |
| <b>F10281</b> | <b>Alcohol dependence with alcohol-induced sexual dysfunction</b>   |
| <b>F10288</b> | <b>Alcohol dependence with other alcohol-induced disorder</b>       |
| <b>F10959</b> | <b>Alcohol use, unsp w alcohol-induced psychotic disorder, unsp</b> |
| <b>F10980</b> | <b>Alcohol use, unsp with alcohol-induced anxiety disorder</b>      |
| <b>F1014</b>  | <b>Alcohol abuse with alcohol-induced mood disorder</b>             |
| <b>F1024</b>  | <b>Alcohol dependence with alcohol-induced mood disorder</b>        |
| <b>F10981</b> | <b>Alcohol use, unsp with alcohol-induced sexual dysfunction</b>    |
| <b>F10988</b> | <b>Alcohol use, unspecified with other alcohol-induced disorder</b> |
| <b>F1099</b>  | <b>Alcohol use, unsp with unspecified alcohol-induced disorder</b>  |
| <b>F1019</b>  | <b>Alcohol abuse with unspecified alcohol-induced disorder</b>      |
| <b>F1029</b>  | <b>Alcohol dependence with unspecified alcohol-induced disorder</b> |
| <b>F1094</b>  | <b>Alcohol use, unspecified with alcohol-induced mood disorder</b>  |
| <b>F19939</b> | <b>Other psychoactive substance use, unsp with withdrawal, unsp</b> |
| <b>F1123</b>  | <b>Opioid dependence with withdrawal</b>                            |
| <b>F1193</b>  | <b>Opioid use, unspecified with withdrawal</b>                      |
| <b>F13230</b> | <b>Sedatv/hyp/anxiolytc dependence w withdrawal, uncomplicated</b>  |
| <b>F13231</b> | <b>Sedatv/hyp/anxiolytc dependence w withdrawal delirium</b>        |
| <b>F13232</b> | <b>Sedatv/hyp/anxiolytc depend w w/drowal w perceptual disturb</b>  |
| <b>F13239</b> | <b>Sedatv/hyp/anxiolytc dependence w withdrawal, unsp</b>           |
| <b>F13930</b> | <b>Sedatv/hyp/anxiolytc use, unsp w withdrawal, uncomplicated</b>   |
| <b>F13931</b> | <b>Sedatv/hyp/anxiolytc use, unsp w withdrawal delirium</b>         |
| <b>F13932</b> | <b>Sedatv/hyp/anxiolytc use, unsp w w/drowal w perceptl disturb</b> |
| <b>F13939</b> | <b>Sedatv/hyp/anxiolytc use, unsp w withdrawal, unsp</b>            |
| <b>F1423</b>  | <b>Cocaine dependence with withdrawal</b>                           |

## ICD-10 Psych Codes

|               |  |
|---------------|--|
| <b>F1523</b>  | <b>Other stimulant dependence with withdrawal</b>                    |
| <b>F1593</b>  | <b>Other stimulant use, unspecified with withdrawal</b>              |
| <b>F17203</b> | <b>Nicotine dependence unspecified, with withdrawal</b>              |
| <b>F17213</b> | <b>Nicotine dependence, cigarettes, with withdrawal</b>              |
| <b>F17223</b> | <b>Nicotine dependence, chewing tobacco, with withdrawal</b>         |
| <b>F17293</b> | <b>Nicotine dependence, other tobacco product, with withdrawal</b>   |
| <b>F19230</b> | <b>Oth psychoactive substance dependence w withdrawal, uncomp</b>    |
| <b>F19231</b> | <b>Oth psychoactive substance dependence w withdrawal delirium</b>   |
| <b>F19232</b> | <b>Oth psychoactv sub depend w w/drawal w perceptl disturb</b>       |
| <b>F19239</b> | <b>Oth psychoactive substance dependence with withdrawal, unsp</b>   |
| <b>F19930</b> | <b>Oth psychoactive substance use, unsp w withdrawal, uncomp</b>     |
| <b>F19931</b> | <b>Oth psychoactive substance use, unsp w withdrawal delirium</b>    |
| <b>F19932</b> | <b>Oth psychoactv sub use, unsp w w/drawal w perceptl disturb</b>    |
| <b>F19950</b> | <b>Oth psychoactv sub use, unsp w psych disorder w delusions</b>     |
| <b>F11150</b> | <b>Opioid abuse w opioid-induced psychotic disorder w delusions</b>  |
| <b>F11250</b> | <b>Opioid depend w opioid-induc psychotic disorder w delusions</b>   |
| <b>F11950</b> | <b>Opioid use, unsp w opioid-induc psych disorder w delusions</b>    |
| <b>F12150</b> | <b>Cannabis abuse with psychotic disorder with delusions</b>         |
| <b>F12250</b> | <b>Cannabis dependence with psychotic disorder with delusions</b>    |
| <b>F12950</b> | <b>Cannabis use, unsp with psychotic disorder with delusions</b>     |
| <b>F13150</b> | <b>Sedatv/hyp/anxiolytc abuse w psychotic disorder w delusions</b>   |
| <b>F13250</b> | <b>Sedatv/hyp/anxiolytc depend w psychotic disorder w delusions</b>  |
| <b>F13950</b> | <b>Sedatv/hyp/anxiolytc use, unsp w psych disorder w delusions</b>   |
| <b>F14150</b> | <b>Cocaine abuse w cocaine-induc psychotic disorder w delusions</b>  |
| <b>F14250</b> | <b>Cocaine depend w cocaine-induc psych disorder w delusions</b>     |
| <b>F14950</b> | <b>Cocaine use, unsp w cocaine-induc psych disorder w delusions</b>  |
| <b>F15150</b> | <b>Oth stimulant abuse w stim- induce psych disorder w delusions</b> |
| <b>F15250</b> | <b>Oth stim depend w stim- induce psych disorder w delusions</b>     |

## ICD-10 Psych Codes

|        |  |
|--------|--|
| F15950 | Oth stim use, unsp w stim-induce psych disorder w delusions  |
| F16150 | Hallucinogen abuse w psychotic disorder w delusions          |
| F16250 | Hallucinogen dependence w psychotic disorder w delusions     |
| F16950 | Hallucinogen use, unsp w psychotic disorder w delusions      |
| F18150 | Inhalant abuse w inhalnt-induce psych disorder w delusions   |
| F18250 | Inhalant depend w inhalnt-induce psych disorder w delusions  |
| F18950 | Inhalant use, unsp w inhalnt-induce psych disord w delusions |
| F19150 | Oth psychoactv substance abuse w psych disorder w delusions  |
| F19250 | Oth psychoactv substance depend w psych disorder w delusions |
| F19951 | Oth psychoactv sub use, unsp w psych disorder w hallucin     |
| F11151 | Opioid abuse w opioid-induced psychotic disorder w hallucin  |
| F11251 | Opioid depend w opioid-induc psychotic disorder w hallucin   |
| F11951 | Opioid use, unsp w opioid-induc psych disorder w hallucin    |
| F12151 | Cannabis abuse with psychotic disorder with hallucinations   |
| F12251 | Cannabis dependence w psychotic disorder with hallucinations |
| F12951 | Cannabis use, unsp w psychotic disorder with hallucinations  |
| F13151 | Sedatv/hyp/anxiolytc abuse w psychotic disorder w hallucin   |
| F13251 | Sedatv/hyp/anxiolytc depend w psychotic disorder w hallucin  |
| F13951 | Sedatv/hyp/anxiolytc use, unsp w psych disorder w hallucin   |
| F14151 | Cocaine abuse w cocaine-induc psychotic disorder w hallucin  |
| F14251 | Cocaine depend w cocaine-induc psychotic disorder w hallucin |
| F14951 | Cocaine use, unsp w cocaine-induc psych disorder w hallucin  |
| F15151 | Oth stimulant abuse w stim-induce psych disorder w hallucin  |
| F15251 | Oth stimulant depend w stim-induce psych disorder w hallucin |
| F15951 | Oth stim use, unsp w stim-induce psych disorder w hallucin   |
| F16151 | Hallucinogen abuse w psychotic disorder w hallucinations     |
| F16251 | Hallucinogen dependence w psychotic disorder w hallucin      |
| F16951 | Hallucinogen use, unsp w psychotic disorder w hallucinations |

## ICD-10 Psych Codes

|               |   |
|---------------|---|
| <b>F18151</b> | <b>Inhalant abuse w inhalnt- induce psych disorder w hallucin</b>   |
| <b>F18251</b> | <b>Inhalant depend w inhalnt- induce psych disorder w hallucin</b>  |
| <b>F18951</b> | <b>Inhalant use, unsp w inhalnt- induce psych disord w hallucin</b> |
| <b>F19151</b> | <b>Oth psychoactv substance abuse w psych disorder w hallucin</b>   |
| <b>F19251</b> | <b>Oth psychoactv substance depend w psych disorder w hallucin</b>  |
| <b>F15920</b> | <b>Other stimulant use, unsp with intoxication, uncomplicated</b>   |
| <b>F11220</b> | <b>Opioid dependence with intoxication, uncomplicated</b>           |
| <b>F11229</b> | <b>Opioid dependence with intoxication, unspecified</b>             |
| <b>F11920</b> | <b>Opioid use, unspecified with intoxication, uncomplicated</b>     |
| <b>F11929</b> | <b>Opioid use, unspecified with intoxication, unspecified</b>       |
| <b>F12120</b> | <b>Cannabis abuse with intoxication, uncomplicated</b>              |
| <b>F12129</b> | <b>Cannabis abuse with intoxication, unspecified</b>                |
| <b>F12220</b> | <b>Cannabis dependence with intoxication, uncomplicated</b>         |
| <b>F12229</b> | <b>Cannabis dependence with intoxication, unspecified</b>           |
| <b>F12920</b> | <b>Cannabis use, unspecified with intoxication, uncomplicated</b>   |
| <b>F12929</b> | <b>Cannabis use, unspecified with intoxication, unspecified</b>     |
| <b>F13129</b> | <b>Sedative, hypnotic or anxiolytic abuse w intoxication, unsp</b>  |
| <b>F13220</b> | <b>Sedatv/hyp/anxiolytc dependence w intoxication, uncomp</b>       |
| <b>F13229</b> | <b>Sedatv/hyp/anxiolytc dependence w intoxication, unsp</b>         |
| <b>F13920</b> | <b>Sedatv/hyp/anxiolytc use, unsp w intoxication, uncomplicated</b> |
| <b>F13929</b> | <b>Sedatv/hyp/anxiolytc use, unsp w intoxication, unsp</b>          |
| <b>F14129</b> | <b>Cocaine abuse with intoxication, unspecified</b>                 |
| <b>F14220</b> | <b>Cocaine dependence with intoxication, uncomplicated</b>          |
| <b>F14229</b> | <b>Cocaine dependence with intoxication, unspecified</b>            |
| <b>F14920</b> | <b>Cocaine use, unspecified with intoxication, uncomplicated</b>    |
| <b>F14929</b> | <b>Cocaine use, unspecified with intoxication, unspecified</b>      |
| <b>F15129</b> | <b>Other stimulant abuse with intoxication, unspecified</b>         |
| <b>F15220</b> | <b>Other stimulant dependence with intoxication, uncomplicated</b>  |

## ICD-10 Psych Codes

|               |   |
|---------------|---|
| <b>F15229</b> | <b>Other stimulant dependence with intoxication, unspecified</b>    |
| <b>F15929</b> | <b>Other stimulant use, unsp with intoxication, unspecified</b>     |
| <b>F16129</b> | <b>Hallucinogen abuse with intoxication, unspecified</b>            |
| <b>F16220</b> | <b>Hallucinogen dependence with intoxication, uncomplicated</b>     |
| <b>F16229</b> | <b>Hallucinogen dependence with intoxication, unspecified</b>       |
| <b>F16920</b> | <b>Hallucinogen use, unsp with intoxication, uncomplicated</b>      |
| <b>F16929</b> | <b>Hallucinogen use, unspecified with intoxication, unspecified</b> |
| <b>F18120</b> | <b>Inhalant abuse with intoxication, uncomplicated</b>              |
| <b>F18129</b> | <b>Inhalant abuse with intoxication, unspecified</b>                |
| <b>F18220</b> | <b>Inhalant dependence with intoxication, uncomplicated</b>         |
| <b>F18229</b> | <b>Inhalant dependence with intoxication, unspecified</b>           |
| <b>F18920</b> | <b>Inhalant use, unspecified with intoxication, uncomplicated</b>   |
| <b>F18929</b> | <b>Inhalant use, unspecified with intoxication, unspecified</b>     |
| <b>F19129</b> | <b>Other psychoactive substance abuse with intoxication, unsp</b>   |
| <b>F19220</b> | <b>Oth psychoactive substance dependence w intoxication, uncomp</b> |
| <b>F19229</b> | <b>Oth psychoactive substance dependence w intoxication, unsp</b>   |
| <b>F19920</b> | <b>Oth psychoactive substance use, unsp w intoxication, uncomp</b>  |
| <b>F19929</b> | <b>Oth psychoactive substance use, unsp with intoxication, unsp</b> |
| <b>F19921</b> | <b>Oth psychoactive substance use, unsp w intox w delirium</b>      |
| <b>F11121</b> | <b>Opioid abuse with intoxication delirium</b>                      |
| <b>F11221</b> | <b>Opioid dependence with intoxication delirium</b>                 |
| <b>F11921</b> | <b>Opioid use, unspecified with intoxication delirium</b>           |
| <b>F12121</b> | <b>Cannabis abuse with intoxication delirium</b>                    |
| <b>F12221</b> | <b>Cannabis dependence with intoxication delirium</b>               |
| <b>F12921</b> | <b>Cannabis use, unspecified with intoxication delirium</b>         |
| <b>F13121</b> | <b>Sedatv/hyp/anxiolytc abuse w intoxication delirium</b>           |
| <b>F13221</b> | <b>Sedatv/hyp/anxiolytc dependence w intoxication delirium</b>      |
| <b>F13921</b> | <b>Sedatv/hyp/anxiolytc use, unsp w intoxication delirium</b>       |

## ICD-10 Psych Codes

|               |   |
|---------------|---|
| <b>F14121</b> | <b>Cocaine abuse with intoxication with delirium</b>                |
| <b>F14221</b> | <b>Cocaine dependence with intoxication delirium</b>                |
| <b>F14921</b> | <b>Cocaine use, unspecified with intoxication delirium</b>          |
| <b>F15121</b> | <b>Other stimulant abuse with intoxication delirium</b>             |
| <b>F15221</b> | <b>Other stimulant dependence with intoxication delirium</b>        |
| <b>F15921</b> | <b>Other stimulant use, unspecified with intoxication delirium</b>  |
| <b>F16121</b> | <b>Hallucinogen abuse with intoxication with delirium</b>           |
| <b>F16221</b> | <b>Hallucinogen dependence with intoxication with delirium</b>      |
| <b>F16921</b> | <b>Hallucinogen use, unsp with intoxication with delirium</b>       |
| <b>F18121</b> | <b>Inhalant abuse with intoxication delirium</b>                    |
| <b>F18221</b> | <b>Inhalant dependence with intoxication delirium</b>               |
| <b>F18921</b> | <b>Inhalant use, unspecified with intoxication with delirium</b>    |
| <b>F19121</b> | <b>Oth psychoactive substance abuse with intoxication delirium</b>  |
| <b>F19221</b> | <b>Oth psychoactive substance dependence w intox delirium</b>       |
| <b>F1997</b>  | <b>Oth psychoactive substance use, unsp w persisting dementia</b>   |
| <b>F11122</b> | <b>Opioid abuse with intoxication with perceptual disturbance</b>   |
| <b>F1327</b>  | <b>Sedatv/hyp/anxiolytc dependence w persisting dementia</b>        |
| <b>F1397</b>  | <b>Sedatv/hyp/anxiolytc use, unsp w persisting dementia</b>         |
| <b>F1817</b>  | <b>Inhalant abuse with inhalant-induced dementia</b>                |
| <b>F1827</b>  | <b>Inhalant dependence with inhalant-induced dementia</b>           |
| <b>F1897</b>  | <b>Inhalant use, unsp with inhalant-induced persisting dementia</b> |
| <b>F1917</b>  | <b>Oth psychoactive substance abuse w persisting dementia</b>       |
| <b>F1927</b>  | <b>Oth psychoactive substance dependence w persisting dementia</b>  |
| <b>F1996</b>  | <b>Oth psychoactv sub use, unsp w persist amnestic disorder</b>     |
| <b>F1326</b>  | <b>Sedatv/hyp/anxiolytc depend w persisting amnestic disorder</b>   |
| <b>F1396</b>  | <b>Sedatv/hyp/anxiolytc use, unsp w persist amnestic disorder</b>   |
| <b>F1916</b>  | <b>Oth psychoactv substance abuse w persist amnestic disorder</b>   |
| <b>F1926</b>  | <b>Oth psychoactv substance depend w persist amnestic disorder</b>  |



## ICD-10 Psych Codes

|               |   |
|---------------|---|
| <b>F1994</b>  | <b>Oth psychoactive substance use, unsp w mood disorder</b>         |
| <b>F1114</b>  | <b>Opioid abuse with opioid-induced mood disorder</b>               |
| <b>F1124</b>  | <b>Opioid dependence with opioid-induced mood disorder</b>          |
| <b>F1194</b>  | <b>Opioid use, unspecified with opioid-induced mood disorder</b>    |
| <b>F1314</b>  | <b>Sedative, hypnotic or anxiolytic abuse w mood disorder</b>       |
| <b>F1324</b>  | <b>Sedative, hypnotic or anxiolytic dependence w mood disorder</b>  |
| <b>F1394</b>  | <b>Sedative, hypnotic or anxiolytic use, unsp w mood disorder</b>   |
| <b>F1414</b>  | <b>Cocaine abuse with cocaine-induced mood disorder</b>             |
| <b>F1424</b>  | <b>Cocaine dependence with cocaine-induced mood disorder</b>        |
| <b>F1494</b>  | <b>Cocaine use, unspecified with cocaine-induced mood disorder</b>  |
| <b>F1514</b>  | <b>Other stimulant abuse with stimulant-induced mood disorder</b>   |
| <b>F1524</b>  | <b>Oth stimulant dependence w stimulant-induced mood disorder</b>   |
| <b>F1594</b>  | <b>Oth stimulant use, unsp with stimulant-induced mood disorder</b> |
| <b>F1614</b>  | <b>Hallucinogen abuse with hallucinogen-induced mood disorder</b>   |
| <b>F1624</b>  | <b>Hallucinogen dependence w hallucinogen-induced mood disorder</b> |
| <b>F1694</b>  | <b>Hallucinogen use, unsp w hallucinogen-induced mood disorder</b>  |
| <b>F1814</b>  | <b>Inhalant abuse with inhalant-induced mood disorder</b>           |
| <b>F1824</b>  | <b>Inhalant dependence with inhalant-induced mood disorder</b>      |
| <b>F1894</b>  | <b>Inhalant use, unsp with inhalant-induced mood disorder</b>       |
| <b>F1914</b>  | <b>Oth psychoactive substance abuse w mood disorder</b>             |
| <b>F1924</b>  | <b>Oth psychoactive substance dependence w mood disorder</b>        |
| <b>F11182</b> | <b>Opioid abuse with opioid-induced sleep disorder</b>              |
| <b>F11282</b> | <b>Opioid dependence with opioid-induced sleep disorder</b>         |
| <b>F11982</b> | <b>Opioid use, unspecified with opioid-induced sleep disorder</b>   |
| <b>F13182</b> | <b>Sedative, hypnotic or anxiolytic abuse w sleep disorder</b>      |
| <b>F13282</b> | <b>Sedative, hypnotic or anxiolytic dependence w sleep disorder</b> |
| <b>F13982</b> | <b>Sedative, hypnotic or anxiolytic use, unsp w sleep disorder</b>  |

## ICD-10 Psych Codes

|               |   |
|---------------|---|
| <b>F14182</b> | <b>Cocaine abuse with cocaine-induced sleep disorder</b>            |
| <b>F14282</b> | <b>Cocaine dependence with cocaine-induced sleep disorder</b>       |
| <b>F14982</b> | <b>Cocaine use, unspecified with cocaine-induced sleep disorder</b> |
| <b>F15182</b> | <b>Other stimulant abuse with stimulant-induced sleep disorder</b>  |
| <b>F15282</b> | <b>Oth stimulant dependence w stimulant-induced sleep disorder</b>  |
| <b>F15982</b> | <b>Oth stimulant use, unsp w stimulant-induced sleep disorder</b>   |
| <b>F19182</b> | <b>Oth psychoactive substance abuse w sleep disorder</b>            |
| <b>F19282</b> | <b>Oth psychoactive substance dependence w sleep disorder</b>       |
| <b>F19982</b> | <b>Oth psychoactive substance use, unsp w sleep disorder</b>        |
| <b>F1921</b>  | <b>Other psychoactive substance dependence, in remission</b>        |
| <b>F11159</b> | <b>Opioid abuse with opioid-induced psychotic disorder, unsp</b>    |
| <b>F11181</b> | <b>Opioid abuse with opioid-induced sexual dysfunction</b>          |
| <b>F11188</b> | <b>Opioid abuse with other opioid-induced disorder</b>              |
| <b>F11222</b> | <b>Opioid dependence w intoxication with perceptual disturbance</b> |
| <b>F11259</b> | <b>Opioid dependence w opioid-induced psychotic disorder, unsp</b>  |
| <b>F11281</b> | <b>Opioid dependence with opioid-induced sexual dysfunction</b>     |
| <b>F11288</b> | <b>Opioid dependence with other opioid-induced disorder</b>         |
| <b>F11922</b> | <b>Opioid use, unsp w intoxication with perceptual disturbance</b>  |
| <b>F11959</b> | <b>Opioid use, unsp w opioid-induced psychotic disorder, unsp</b>   |
| <b>F11981</b> | <b>Opioid use, unsp with opioid-induced sexual dysfunction</b>      |
| <b>F11988</b> | <b>Opioid use, unspecified with other opioid-induced disorder</b>   |
| <b>F12122</b> | <b>Cannabis abuse with intoxication with perceptual disturbance</b> |
| <b>F12159</b> | <b>Cannabis abuse with psychotic disorder, unspecified</b>          |
| <b>F12180</b> | <b>Cannabis abuse with cannabis-induced anxiety disorder</b>        |
| <b>F12188</b> | <b>Cannabis abuse with other cannabis-induced disorder</b>          |
| <b>F12222</b> | <b>Cannabis dependence w intoxication w perceptual disturbance</b>  |
| <b>F12259</b> | <b>Cannabis dependence with psychotic disorder, unspecified</b>     |
| <b>F12280</b> | <b>Cannabis dependence with cannabis-induced anxiety disorder</b>   |

## ICD-10 Psych Codes

|               |   |
|---------------|---|
| <b>F12288</b> | <b>Cannabis dependence with other cannabis-induced disorder</b>     |
| <b>F12922</b> | <b>Cannabis use, unsp w intoxication w perceptual disturbance</b>   |
| <b>F12959</b> | <b>Cannabis use, unsp with psychotic disorder, unspecified</b>      |
| <b>F12980</b> | <b>Cannabis use, unspecified with anxiety disorder</b>              |
| <b>F12988</b> | <b>Cannabis use, unsp with other cannabis-induced disorder</b>      |
| <b>F13159</b> | <b>Sedatv/hyp/anxiolytc abuse w psychotic disorder, unsp</b>        |
| <b>F13180</b> | <b>Sedative, hypnotic or anxiolytic abuse w anxiety disorder</b>    |
| <b>F13181</b> | <b>Sedative, hypnotic or anxiolytic abuse w sexual dysfunction</b>  |
| <b>F13188</b> | <b>Sedative, hypnotic or anxiolytic abuse w oth disorder</b>        |
| <b>F13259</b> | <b>Sedatv/hyp/anxiolytc dependence w psychotic disorder, unsp</b>   |
| <b>F13280</b> | <b>Sedatv/hyp/anxiolytc dependence w anxiety disorder</b>           |
| <b>F13281</b> | <b>Sedatv/hyp/anxiolytc dependence w sexual dysfunction</b>         |
| <b>F13288</b> | <b>Sedative, hypnotic or anxiolytic dependence w oth disorder</b>   |
| <b>F13959</b> | <b>Sedatv/hyp/anxiolytc use, unsp w psychotic disorder, unsp</b>    |
| <b>F13980</b> | <b>Sedatv/hyp/anxiolytc use, unsp w anxiety disorder</b>            |
| <b>F13981</b> | <b>Sedatv/hyp/anxiolytc use, unsp w sexual dysfunction</b>          |
| <b>F13988</b> | <b>Sedative, hypnotic or anxiolytic use, unsp w oth disorder</b>    |
| <b>F14122</b> | <b>Cocaine abuse with intoxication with perceptual disturbance</b>  |
| <b>F14159</b> | <b>Cocaine abuse with cocaine-induced psychotic disorder, unsp</b>  |
| <b>F14180</b> | <b>Cocaine abuse with cocaine-induced anxiety disorder</b>          |
| <b>F14181</b> | <b>Cocaine abuse with cocaine-induced sexual dysfunction</b>        |
| <b>F14188</b> | <b>Cocaine abuse with other cocaine-induced disorder</b>            |
| <b>F14222</b> | <b>Cocaine dependence w intoxication w perceptual disturbance</b>   |
| <b>F14259</b> | <b>Cocaine dependence w cocaine-induc psychotic disorder, unsp</b>  |
| <b>F14280</b> | <b>Cocaine dependence with cocaine-induced anxiety disorder</b>     |
| <b>F14281</b> | <b>Cocaine dependence with cocaine-induced sexual dysfunction</b>   |
| <b>F14288</b> | <b>Cocaine dependence with other cocaine-induced disorder</b>       |
| <b>F14922</b> | <b>Cocaine use, unsp w intoxication with perceptual disturbance</b> |

## ICD-10 Psych Codes

|               |   |
|---------------|---|
| <b>F14959</b> | <b>Cocaine use, unsp w cocaine-induced psychotic disorder, unsp</b> |
| <b>F14980</b> | <b>Cocaine use, unsp with cocaine-induced anxiety disorder</b>      |
| <b>F14981</b> | <b>Cocaine use, unsp with cocaine-induced sexual dysfunction</b>    |
| <b>F14988</b> | <b>Cocaine use, unspecified with other cocaine-induced disorder</b> |
| <b>F15122</b> | <b>Oth stimulant abuse w intoxication w perceptual disturbance</b>  |
| <b>F15159</b> | <b>Oth stimulant abuse w stim- induce psychotic disorder, unsp</b>  |
| <b>F15180</b> | <b>Oth stimulant abuse with stimulant-induced anxiety disorder</b>  |
| <b>F15181</b> | <b>Oth stimulant abuse w stimulant-induced sexual dysfunction</b>   |
| <b>F15188</b> | <b>Other stimulant abuse with other stimulant-induced disorder</b>  |
| <b>F15222</b> | <b>Oth stimulant dependence w intox w perceptual disturbance</b>    |
| <b>F15259</b> | <b>Oth stimulant depend w stim- induce psychotic disorder, unsp</b> |
| <b>F15280</b> | <b>Oth stimulant dependence w stim- induce anxiety disorder</b>     |
| <b>F15281</b> | <b>Oth stimulant dependence w stim- induce sexual dysfunction</b>   |
| <b>F15288</b> | <b>Oth stimulant dependence with oth stimulant-induced disorder</b> |
| <b>F15922</b> | <b>Oth stimulant use, unsp w intox w perceptual disturbance</b>     |
| <b>F15959</b> | <b>Oth stimulant use, unsp w stim- induce psych disorder, unsp</b>  |
| <b>F15980</b> | <b>Oth stimulant use, unsp w stimulant-induced anxiety disorder</b> |
| <b>F15981</b> | <b>Oth stimulant use, unsp w stim- induce sexual dysfunction</b>    |
| <b>F15988</b> | <b>Oth stimulant use, unsp with oth stimulant-induced disorder</b>  |
| <b>F16122</b> | <b>Hallucinogen abuse w intoxication w perceptual disturbance</b>   |
| <b>F16159</b> | <b>Hallucinogen abuse w psychotic disorder, unsp</b>                |
| <b>F16180</b> | <b>Hallucinogen abuse w hallucinogen-induced anxiety disorder</b>   |
| <b>F16183</b> | <b>Hallucign abuse w hallucign persisting perception disorder</b>   |
| <b>F16188</b> | <b>Hallucinogen abuse with other hallucinogen-induced disorder</b>  |
| <b>F16259</b> | <b>Hallucinogen dependence w psychotic disorder, unsp</b>           |
| <b>F16280</b> | <b>Hallucinogen dependence w anxiety disorder</b>                   |
| <b>F16283</b> | <b>Hallucign depend w hallucign persisting perception disorder</b>  |
| <b>F16288</b> | <b>Hallucinogen dependence w oth hallucinogen-induced disorder</b>  |

## ICD-10 Psych Codes

|        |  |
|--------|--|
| F16959 | Hallucinogen use, unsp w psychotic disorder, unsp            |
| F16980 | Hallucinogen use, unsp w anxiety disorder                    |
| F16983 | Hallucign use, unsp w hallucign persist perception disorder  |
| F16988 | Hallucinogen use, unsp w oth hallucinogen-induced disorder   |
| F17208 | Nicotine dependence, unsp, w oth nicotine-induced disorders  |
| F17218 | Nicotine dependence, cigarettes, w oth disorders             |
| F17228 | Nicotine dependence, chewing tobacco, w oth disorders        |
| F17298 | Nicotine dependence, oth tobacco product, w oth disorders    |
| F18159 | Inhalant abuse w inhalant-induced psychotic disorder, unsp   |
| F18180 | Inhalant abuse with inhalant-induced anxiety disorder        |
| F18188 | Inhalant abuse with other inhalant-induced disorder          |
| F18259 | Inhalant depend w inhalnt-induce psychotic disorder, unsp    |
| F18280 | Inhalant dependence with inhalant-induced anxiety disorder   |
| F18288 | Inhalant dependence with other inhalant-induced disorder     |
| F18959 | Inhalant use, unsp w inhalnt-induce psychotic disorder, unsp |
| F18980 | Inhalant use, unsp with inhalant-induced anxiety disorder    |
| F18988 | Inhalant use, unsp with other inhalant-induced disorder      |
| F19122 | Oth psychoactv substance abuse w intox w perceptual disturb  |
| F19159 | Oth psychoactive substance abuse w psychotic disorder, unsp  |
| F19180 | Oth psychoactive substance abuse w anxiety disorder          |
| F19181 | Oth psychoactive substance abuse w sexual dysfunction        |
| F19188 | Oth psychoactive substance abuse w oth disorder              |
| F19222 | Oth psychoactv substance depend w intox w perceptual disturb |
| F19259 | Oth psychoactv substance depend w psychotic disorder, unsp   |
| F19280 | Oth psychoactive substance dependence w anxiety disorder     |
| F19281 | Oth psychoactive substance dependence w sexual dysfunction   |
| F19288 | Oth psychoactive substance dependence w oth disorder         |
| F19922 | Oth psychoactv sub use, unsp w intox w perceptl disturb      |

## ICD-10 Psych Codes

|               |   |
|---------------|---|
| <b>F19959</b> | <b>Oth psychoactv substance use, unsp w psych disorder, unsp</b>    |
| <b>F19980</b> | <b>Oth psychoactive substance use, unsp w anxiety disorder</b>      |
| <b>F19981</b> | <b>Oth psychoactive substance use, unsp w sexual dysfunction</b>    |
| <b>F19988</b> | <b>Oth psychoactive substance use, unsp w oth disorder</b>          |
| <b>F1999</b>  | <b>Oth psychoactive substance use, unsp w unsp disorder</b>         |
| <b>F1119</b>  | <b>Opioid abuse with unspecified opioid-induced disorder</b>        |
| <b>F1129</b>  | <b>Opioid dependence with unspecified opioid-induced disorder</b>   |
| <b>F1199</b>  | <b>Opioid use, unsp with unspecified opioid-induced disorder</b>    |
| <b>F1219</b>  | <b>Cannabis abuse with unspecified cannabis-induced disorder</b>    |
| <b>F1229</b>  | <b>Cannabis dependence with unsp cannabis-induced disorder</b>      |
| <b>F1299</b>  | <b>Cannabis use, unsp with unsp cannabis-induced disorder</b>       |
| <b>F1319</b>  | <b>Sedative, hypnotic or anxiolytic abuse w unsp disorder</b>       |
| <b>F1329</b>  | <b>Sedative, hypnotic or anxiolytic dependence w unsp disorder</b>  |
| <b>F1399</b>  | <b>Sedative, hypnotic or anxiolytic use, unsp w unsp disorder</b>   |
| <b>F1419</b>  | <b>Cocaine abuse with unspecified cocaine-induced disorder</b>      |
| <b>F1429</b>  | <b>Cocaine dependence with unspecified cocaine-induced disorder</b> |
| <b>F1499</b>  | <b>Cocaine use, unsp with unspecified cocaine-induced disorder</b>  |
| <b>F1519</b>  | <b>Other stimulant abuse with unsp stimulant-induced disorder</b>   |
| <b>F1529</b>  | <b>Oth stimulant dependence w unsp stimulant-induced disorder</b>   |
| <b>F1599</b>  | <b>Oth stimulant use, unsp with unsp stimulant-induced disorder</b> |
| <b>F1619</b>  | <b>Hallucinogen abuse with unsp hallucinogen-induced disorder</b>   |
| <b>F1629</b>  | <b>Hallucinogen dependence w unsp hallucinogen-induced disorder</b> |
| <b>F1699</b>  | <b>Hallucinogen use, unsp w unsp hallucinogen-induced disorder</b>  |
| <b>F17209</b> | <b>Nicotine dependence, unsp, w unsp nicotine-induced disorders</b> |
| <b>F17219</b> | <b>Nicotine dependence, cigarettes, w unsp disorders</b>            |
| <b>F17229</b> | <b>Nicotine dependence, chewing tobacco, w unsp disorders</b>       |
| <b>F17299</b> | <b>Nicotine dependence, oth tobacco product, w unsp disorders</b>   |
| <b>F1819</b>  | <b>Inhalant abuse with unspecified inhalant-induced disorder</b>    |

## ICD-10 Psych Codes

|               |   |
|---------------|---|
| <b>F1829</b>  | <b>Inhalant dependence with unsp inhalant-induced disorder</b>    |
| <b>F1899</b>  | <b>Inhalant use, unsp with unsp inhalant-induced disorder</b>     |
| <b>F1919</b>  | <b>Oth psychoactive substance abuse w unsp disorder</b>           |
| <b>F1929</b>  | <b>Oth psychoactive substance dependence w unsp disorder</b>      |
| <b>F10229</b> | <b>Alcohol dependence with intoxication, unspecified</b>          |
| <b>F10220</b> | <b>Alcohol dependence with intoxication, uncomplicated</b>        |
| <b>F1020</b>  | <b>Alcohol dependence, uncomplicated</b>                          |
| <b>F1021</b>  | <b>Alcohol dependence, in remission</b>                           |
| <b>F1120</b>  | <b>Opioid dependence, uncomplicated</b>                           |
| <b>F1121</b>  | <b>Opioid dependence, in remission</b>                            |
| <b>F1320</b>  | <b>Sedative, hypnotic or anxiolytic dependence, uncomplicated</b> |
| <b>F1321</b>  | <b>Sedative, hypnotic or anxiolytic dependence, in remission</b>  |
| <b>F1420</b>  | <b>Cocaine dependence, uncomplicated</b>                          |
| <b>F1421</b>  | <b>Cocaine dependence, in remission</b>                           |
| <b>F1220</b>  | <b>Cannabis dependence, uncomplicated</b>                         |
| <b>F1221</b>  | <b>Cannabis dependence, in remission</b>                          |
| <b>F1520</b>  | <b>Other stimulant dependence, uncomplicated</b>                  |